	SAFETY DATA SHEET (SDS)			
© 2015 American Foundry	COPPER-NICKEL-ZINC ALLOY CASTINGS w/o Beryllium (NICKEL-SILVER CASTINGS)			
Society, Inc.	SDS SC-000-033 Rev 11			
Meets the Requirements of OSHA Standard 29 CFR 1910.1200 Hazard Communication and EPA	DATE ISSUED			
Supplier Notification Requirements under Section 313 of the Emergency Planning and Community Right-to-Know Act.	01/15			
SECTION 1—PRODU	CT IDENTIFICATION & COMPANY INFORMATION			
PRODUCT NAME				
COPPER-NICKEL-ZINC ALLOY CASTINGS w/o Beryllium (also referred to as NICKEL-SILVER due to the casting color)				
OTHER DESIGNATIONS: Copper Alloy Specification No's Unified Numbering System (UNS) UNS ALLOY DESIGNATIONS:				
C97300 C97400 C97600 C97800				
PRODUCT IDENTIFICATION (Label Identi See Above	ifier)			
MANUFACTURER'S NAMESTREET ADDRESSMeloon Foundries LLC1841 LeMoyne Ave				
EMERGENCY TELEPHONE NO. 315-454-3231	MAILING ADDRESS 1841 LeMoyne Ave			
TELEPHONE NO. 315-454-3231	CITY, STATE, ZIP CODE, COUNTRY Syracuse, NY 13208, USA			
FAX NO. 315-454-8559	E-MAIL ADDRESS/WEBSITE wendy@meloon.com / www.meloon.com			
RECOMMENDED USE OF CHEMICAL AN	D RESTRICTIONS ON USE			
Solid casting; no restrictions				
CLASSIFICATION	ION 2—HAZARD IDENTIFICATION			
Castings are metallic articles that do not present hazards in their original form.				
 OTHER INFORMATION 1. Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica. 				
 Fumes from hot processes may contain other compounds with different exposure limits. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Consult Sections 3 & 8 for further information. 				

CHEMICAL NAME/COMMON NAME/SYNONYM	Wt %	CAS NUMBER	
Cobalt (Co) Metal	Included w/Ni%, Nickel and Cobalt in combination make-up 11.0%–27.0% of the Casting	7440-48-4	
Copper (Cu) Metal	53.0–67.0	7440-50-8	
Iron (Fe) Metal	<1.5	7439-92-1	
Lead (Pb) Metal	1.0–11.0	7439-92-1	
Manganese (Mn) Metal	0.0–1.0	7439-96-5	
Nickel (Ni) Metal	11.0–27.0	7440-02-0	
Tin (Sn) Metal	1.5–5.5	7440-31-5	
Zinc (Zn) Metal	1.0–25.0	7440-66-6	
SECTION 4—FIR	ST AID MEASURES		
EYE CONTACT: Not applicable to solid castings			
SKIN CONTACT: No special requirements for solid of	astings		
INGESTION: Not applicable			
INHALATION: Not applicable			
	GHTING MEASURES		
	IGHTING MEASURES		
FLAMMABLE PROPERTIES: Not applicable			
EXTINGUISHING MEDIA: Not applicable			
PROTECTION OF FIREFIGHTERS: Not applicable			
SECTION 6—ACCIDENT	TAL RELEASE MEASURES		
Not applicable			
SECTION 7—HAN	IDLING & STORAGE		
RECOMMENDED STORAGE			
No special requirements			
PROCEDURES FOR HANDLING			
Proper hand and foot protection is recommended.			
SECTION 8—EXPOSURE CON	TROLS/PERSONAL PROTECTION		
ENGINEERING CONTROLS			
None Required. There are no health hazards from casting	ngs in solid form.		
	ACGIH TLV	OSHA PEL	
	mg/m ³	mg/m ³	
Cobalt (Co) Metal	0.02	0.1	
Copper (Cu) Metal	1	1	
Iron (Fe) Metal	N/E	N/E	
Lead (Pb) Metal	0.05	30µg/m ³ AL 50µg/m ³ PEL (See 29CFR1910.1025)	
	N/E	N/E	
Manganese (Mn) Metal			
	1.5 (I)	1	
Manganese (Mn) Metal Nickel (Ni) Metal Tin (Sn) Metal			

SUPPLEMENTAL INFORMATION

Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.

Fumes from hot processes may contain other compounds with different exposure limits than those listed herein. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Exposure limits for the most common contaminants are offered as reference. Please consult a competent person for guidance on exposure assessment and controls.

SUBSTANCE	ACGIH TLV mg/m ³	OSHA PEL mg/m ³
Cobalt (Co) Metal		
Metal Dust and Fume	N/E	0.1
Elemental and Inorganic Compounds	0.02	N/E
Copper Compounds Fume (Cu) Dusts and Mists (Cu)	0.2	0.1 1
Iron Compounds Iron Oxide (Fe ₂ O ₃) Fume Iron Oxide (Fe ₂ O ₃₎ Respirable	N/E 5(R)	10 N/E
Lead Compounds Inorganic compounds (Pb)	0.05	30μg/m³ AL 50μg/m³ PEL (See 29CFR 1910.1025
Manganese Compounds (Mn)		
Inorganic compounds Fume	0.02 (R); 0.1 (I) 0.2	5 (C) 5 (C)
Nickel Compounds (Ni) Insoluble, Inorganic Compounds Soluble, Compounds Nickel Oxide	0.2 (l) 0.1 (l) 0.2 (l)	1 1 1
Tin Oxide (Sn)	2	N/E
Zinc Compounds (Zn) Zinc Oxide Total Dust Zinc Oxide Respirable Dust Zinc Oxide Fume	N/E 2 (R) / 10 STEL N/E	15 5 5

TERMS

All exposure limits referenced herein are 8 hour time weighted averages (TWA) unless otherwise noted.

- N/E = None Established
- C = Ceiling
- I = Inhalable fraction
- R = Respirable fraction
- STEL = Short Term Exposure Limit
- TLV = Threshold Limit Value/American Conference of Governmental Industrial Hygienists (ACGIH)
- PEL = Permissible Exposure Limit / OSHA
- AL = Action Level / OSHA
- mg/m³ = milligrams per cubic meter
- µg/m³ = micrograms per cubic meter

PERSONAL PROTECTION

Proper hand and foot protection is recommended.

SECTION 9—PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE /PH	SECTION 9—PH	TOOAL			
Solid, Orange-red					
ODOR/ODOR THRE		V		ISITY	
None			Not applica	-	
MELTING POINT/FF					(relative density)
Approximately 108	5°C (1984°F) for copper				er (water = 1)
BOILING POINT		v	APOR PRI	ESSURE	
2562°C (4644°F) fo	or copper		Not applica	able	
FLASH POINT		E	VAPORAT	ION RAT	E
Not applicable for s	olid castings		Not applica	able	
FLAMMABILITY		S	OLUBILIT	Y IN WAT	ſER
Not flammable for	castings in solid form		Insoluble		
UPPER AND LOWE	R FLAMMABILITY LIMITS	р	Н		
Not applicable for o	astings in solid form		Not applica	able	
AUTO IGNITION TE	MPERATURE	V	ISCOSITY		
Not applicable			Not applica	able	
DECOMPOSITION TEMPERATURE		P	PARTITION COEFFICIENT		
Not applicable		Not applicable			
	SECTION ²	10—STA	BILITY & R	EACTIVI	ТҮ
CHEMICAL STABIL	ITY: Castings in solid form	are stable)		
CONDITIONS TO A	VOID: None				
REACTIVITY: Not re	active		INCOMPATIBLE MATERIALS: None		
HAZARDOUS DECO	OMPOSITION PRODUCTS		HAZARDOUS POLYMERIZATION		
None			Not applicable		
	SECTION 11-	-TOXICO	LOGICAL	INFORM	ATION
POTENTIAL HEALT	H EFFECTS				
EYE CONTACT:	None				
SKIN:	None				
INGESTION:	None				
INHALATION:	None				
	Carcinoge	n Classif	ication of	Ingredie	nts
ING	REDIENT	OSHA	NTP	IARC	TARGET ORGAN(S)
Cobalt and Compour	nds	NL	NL	2B	Lung
Lead and Inorganic Compounds N		NL	R	2A	Lung, Stomach, Liver, Kidney
Nickel Metal		NL	K	2B	Lung, Nasal passages

TERMS

OSHA—Occupational Safety & Health Administration

Y = Listed as a Human Carcinogen

NTP-National Toxicology Program

K = Known to be a Human Carcinogen

R = Reasonably Anticipated to be a Human Carcinogen (RAHC)

IARC—International Agency for Research on Cancer

1 = Carcinogenic to Humans

- 2A = Probably Carcinogenic to Humans
- 2B = Possibly Carcinogenic to Humans
- 3 = Unclassifiable as to Carcinogenicity in Humans
- 4 = Probably not Carcinogenic to Humans

Other

NL = Not Listed

SECTION 12—ECOLOGICAL INFORMATION

ECOTOXICITY	PERSISTENCE AND DEGRADABILITY	
Not applicable	Not applicable	
BIOACCUMULATION POTENTIAL	MOBILITY IN SOIL	
Not applicable	Not applicable	

OTHER ADVERSE EFFECTS

Not applicable

SECTION 13—DISPOSAL CONSIDERATIONS

Recover or recycle if possible. Dispose of according to federal, state and local regulations. Dust collected from machining, welding, etc. may be classified as a hazardous waste. Consult federal, state and local regulations.

SECTION 14—TRANSPORT INFORMATION		
US DEPARTMENT OF TRANSPORTATION (DOT)-HMR (Hazardous Materials Registration)	CANADIAN TRANSPORTATION OF DANGEROUS GOODS (TDG)	
Not Regulated	Not regulated	
UN SHIPPING NAME	UN NUMBER	
Not regulated	Not regulated	
TRANSPORT HAZARD CLASS	PACKING GROUP	
Not regulated	Not regulated	
ENVIRONMENTAL HAZARDS	LABEL(S) REQUIRED?	
None	No	
TRANSPORT IN BULK	SPECIAL SHIPPING INFORMATION	
Not applicable	Not applicable	
SECTION 15—REGULATORY INFORMATION		
US-OSHA (Hazard Communication Standard) References: 29 CFR 1910.1200 Hazard Communication Standard A finished casting is an article as defined in 29CFR 1910.1200 (c) 29 CFR 1910.1000 Air Contaminants 29CFR1910.1025 Lead		
Dust or fumes generated by cleaning, machining, grinding, or welding of the casting may produce airborne contaminants, such as cobalt, copper, iron, lead, manganese, nickel, tin, zinc and silica.		
US-EPA (Toxic Substances Control Act–TSCA)		
All components of these products are on the TSCA inventory list or are excluded from listing.		
US-EPA (SARA Title III)		
Releases to the environment of Cobalt, Copper, Lead, Manganese, Nickel and Zinc (fume or dust) may be subject to reporting under Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986		

and 40 CFR Part 372.

CANADA-WHMIS (Workplace Hazardous Materials			
This SDS has been prepared according to the hazard criteria of the Controlled Product Regulations (CPR) and th SDS contains the information required by the CPR.			
CANADA DSL (Domestic Substances List) Inventor	y Status		
All components of these products are on the DSL In	ventory.		
CEPA (Canadian Environmental Protection Act)			
Lead is on the Toxic Substances List.			
EINECS No. (European Inventory of Existing Comm	nercial Chemical Substances)		
All components of these products are on the EINECS list.			
RoHS (Restriction of Certain Hazardous Substance	s) Compliance		
Castings comply with RoHS			
CALIFORNIA PROPOSITION 65 Compliance			
WARNING: This product contains or produces cheme birth defects (or other reproductive harm). (California	nicals known to the State of California to cause cancer and a Health & Safety Code 25248.5 et seq.)		
US STATE REGULATORY INFORMATION			
Some of the components listed in Section 3 may be	covered under specific state regulations.		
SECTION 16 —	OTHER INFORMATION		
SDS PREPARED BY	DATE		
American Foundry Society, Inc.	01/15		
Occupational Safety & Health Committee (10-Q)			
NOTE			
	n as typical values and not as a product specification. No		
	The recommended industrial hygiene and safe handling lowever, each user should review the recommendations in		
procedures are believed to be generally applicable.			

procedures are believed to be generally applicable. However, each user sh specific context of the intended use and determine if they are appropriate. Addendum: Label Information

PRODUCT IDENTIFIER

SC-000-033 Rev 11 NICKEL-SILVER ALLOY CASTINGS COPPER-NICKEL-ZINC ALLOYS w/o Beryllium

SUPPLIER IDENTIFICATION	HAZARD PICTOGRAMS
Company Name_Meloon Foundries LLC	None*
Street Address 1841 LeMoyne Ave	SIGNAL WORD
Mailing Address 1841 LeMoyne Ave	None*
City Syracuse State NY	
Zip/Postal Code 13208 Country USA	
Emergency Phone Number 315-454-3231	
Other Info	
PRECAUTIONARY STATEMENTS	HAZARD STATEMENTS
None*	None*

*Castings do not present hazards in their original form.

OTHER INFORMATION

- 1. Grinding castings that have not been cleaned or that contain embedded sand may generate significant amounts of dust containing crystalline silica.
- 2. Fumes from hot processes may contain other compounds with different exposure limits. Dust or fumes generated by machining, grinding, welding or thermal cutting of the casting may produce airborne contaminants. Consult Sections 3 & 8 of the SDS for further information.